



PTO/SB/08 (07/05)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | |
|--|---|----|----|--------------------------|--------------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Complete if Known | |
| | | | | Application Number | 09/881,181 |
| | | | | Filing Date | June 14, 2001 |
| | | | | First Named Inventor | Walter Wallach |
| | | | | Art Unit | 3626 |
| | | | | Examiner Name | Dilek B. Cobanoglu |
| Sheet | 1 | Of | 10 | Attorney Docket Number | 13463-701.201 |

| U.S. PATENT DOCUMENTS | | | | | |
|-----------------------|-----------------------|---|--------------------------------|--|---|
| Examiner Initials* | Cite No. ¹ | Document Number Number-Kind Code ² (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
| DBC | 97 | US- 3,712,412 | 01-23-1973 | Hassett, et al. | |
| | 98 | US- 3,936,606 | 02-03-1976 | Wanke | |
| | 99 | US- 4,044,203 | 08-23-1977 | Swinbanks | |
| | 100 | US- 4,177,874 | 12-11-1979 | Angelini, et al. | |
| | 101 | US- 4,407,293 | 10-04-1983 | Suarez, et al. | |
| | 102 | US- 4,473,906 | 09-25-1984 | Warnaka, et al. | |
| | 103 | US- 4,527,282 | 07-02-1985 | Chaplin, et al. | |
| | 104 | US- 4,665,549 | 05-12-1987 | Eriksson, et al. | |
| | 105 | US- 4,715,367 | 12-29-1987 | Crossley, R. | |
| | 106 | US- 4,715,559 | 12-29-1987 | Fuller | |
| | 107 | US- 4,722,346 | 02-02-1988 | Chen | |
| | 108 | US- 4,920,854 | 05-01-1990 | Scanlon | |
| | 109 | US- 4,964,100 | 10-16-1990 | Srou, et al. | |
| | 110 | US- 4,977,600 | 12-11-1990 | Ziegler | |
| | 111 | US- 5,076,284 | 12-31-1991 | Joyce, et al. | |
| | 112 | US- 5,150,414 | 09-22-1992 | Ng | |
| | 113 | US- 5,245,995 | 09-21-1993 | Sullivan et al. | |
| | 114 | US- 5,258,906 | 11-02-1993 | Kroll, et al. | |
| | 115 | US- 5,353,788 | 10-11-1994 | Miles | |
| | 116 | US- 5,515,865 | 05-14-1996 | Scanlon | |
| DBC | 117 | US- 5,522,862 | 06-04-1996 | Testerman, et al. | |
| | 118 | US- 5,572,421 | 11-05-1996 | Altman, et al. | |
| | 119 | US- 5,612,870 | 03-18-1997 | Welner | |
| | 120 | US- 5,684,460 | 11-04-1997 | Scanlon | |
| | 121 | US- 5,784,300 | 07-21-1998 | Neumeier, et al. | |

| | | | |
|--------------------|---------------------------|-----------------|------------|
| Examiner Signature | <i>Dilek B. Cobanoglu</i> | Date Considered | 06/16/2006 |
|--------------------|---------------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Under the paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | |
|--|---|----|----|--------------------------|--------------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(Use as many sheets as necessary)</i> | | | | Complete if Known | |
| | | | | Application Number | 09/881,181 |
| | | | | Filing Date | June 14, 2001 |
| | | | | First Named Inventor | Walter Wallach |
| | | | | Art Unit | 3626 |
| | | | | Examiner Name | Dilek B. Cobanoglu |
| Sheet | 2 | Of | 10 | Attorney Docket Number | 13463-701.201 |

| U.S. PATENT DOCUMENTS | | | | | |
|-----------------------|-----------------------|---|--------------------------------|--|---|
| Examiner Initials* | Cite No. ¹ | Document Number Number-Kind Code ² (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
| DBC | 122 | US- 5,790,785 | 08-04-1998 | Klug, et al. | |
| I | 123 | US- 5,796,340 | 08-18-1998 | Miller | |
| I | 124 | US- 5,978,466 | 11-02-1999 | Quattrocchi | |
| I | 125 | US- 6,018,713 | 01-25-2000 | Coli, et al. | |
| DBC | 126 | US- 6,142,950 | 11-07-2000 | Allen, et al. | |

| FOREIGN PATENT DOCUMENTS | | | | | | |
|--------------------------|-----------------------|--|--------------------------------|--|---|----------------|
| Examiner Initials* | Cite No. ¹ | Foreign Patent Document Country Code ² - Number ³ - Kind Code ⁴ (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | T ⁶ |
| DBC | 127 | WO 1989/07701 | 08-24-1989 | Gardner, et al. | | |
| I | 128 | WO 2000/20047 | 04-13-2000 | Sleep Solutions | | |
| DBC | 129 | WO 1997/40748 | 11-06-1997 | Scanlon, M. | | |

| | | | |
|--------------------|---------------------------|-----------------|------------|
| Examiner Signature | <i>Dilek B. Cobanoglu</i> | Date Considered | 06/16/2006 |
|--------------------|---------------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Under the paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | |
|---|---|----|----|--------------------------|--------------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Complete if Known | |
| | | | | Application Number | 09/881,181 |
| | | | | Filing Date | June 14, 2001 |
| | | | | First Named Inventor | Walter Wallach |
| | | | | Art Unit | 3626 |
| | | | | Examiner Name | Dilek B. Cobanoglu |
| Sheet | 3 | Of | 10 | Attorney Docket Number | 13463-701.201 |

| NON PATENT LITERATURE DOCUMENTS | | | |
|---------------------------------|-----------------------|---|----------------|
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ⁶ |
| DBC | 130 | Agency for Health Care Policy and Research (AHCPR, Department of Health and Human Services, U.S. Public Health Service. Systematic Review Report/Technology Assessment Number 1. AHCPR Publication 99-E002, February 1999 | |
| | 131 | ApneaScreen I from CNS, your partner of choice. ApneaScreen I™, 1992 | |
| | 132 | ASDA Report, 1992. EEG Arousals: Scoring Rules and Examples- A Preliminary Report from the Sleep Disorders Atlas Task Force of the American Sleep Disorders Association. <i>Sleep</i> 15: 173-75. | |
| | 133 | BARBE, ET AL., 2001. Treatment with continuous positive airway pressure is not effective in patients with sleep apnea but no daytime sleepiness. <i>Ann Intern Med</i> 134: 1015-23 | |
| | 134 | BAXT, ET AL., 1991. Use of an artificial neural network for the diagnosis of myocardial infarction. <i>Ann Intern-Med</i> 115: 843-48. | |
| | 135 | BERGER, ET AL., 1986. An Efficient Algorithm for Spectral Analysis of Heart Rate Variability. <i>IEEE Trans Biomed Eng.</i> 33: 900-904. | |
| | 136 | BERTHON-JONES ET AL., 1994. Sleep & Breathing: Therapy 10:15 to 11:30 am A SELF-ADJUSTING CPAP DEVICE FOR OSA. Abstract from APPS 8th Annual Meeting | |
| | 137 | BRAMMER, 1995. SIZING UP SMALL CAPS Rude Awakening? <i>Barron's</i> , 17 | |
| | 138 | BREIMAN, ET AL., 1984 Classification and Regression Trees, Belmont CA, , Wadsworth International Group | |
| DBC | 139 | BREIMAN, L., 1996. The Heuristics of Instability in Model Selection. <i>Annual Stat.</i> 24: 2350-83 | |

| | | | |
|--------------------|---------------------------|-----------------|------------|
| Examiner Signature | <i>Dilek B. Cobanoglu</i> | Date Considered | 06/16/2006 |
|--------------------|---------------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Under the paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | |
|---|---|----|----|--------------------------|--------------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Complete if Known | |
| | | | | Application Number | 09/881,181 |
| | | | | Filing Date | June 14, 2001 |
| | | | | First Named Inventor | Walter Wallach |
| | | | | Art Unit | 3626 |
| | | | | Examiner Name | Dilek B. Cobanoglu |
| Sheet | 4 | Of | 10 | Attorney Docket Number | 13463-701.201 |

| NON PATENT LITERATURE DOCUMENTS | | | |
|---------------------------------|-----------------------|---|----------------|
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ⁶ |
| DBC | 140 | BRISKORN, 1995. Sleep Market Wide Awake- It's a booming market, but success in the sleep testing and therapy business depends on partnering with physicians and managed care payers. <i>Homecare</i> 97-100. | |
| | 141 | CARSKADON, ET AL., Monitoring and Staging Human Sleep. Chapt. 89: 843-953 | |
| | 142 | CHAFFIN, ET AL., 1995. The neural network analysis to predict sleep disordered breathing. <i>Chest</i> 108: 162S. | |
| | 143 | CHINER, ET AL., 1999. Nocturnal oximetry for the diagnosis of the sleep apnea hypopnea syndrome: a method to reduce the number of polysomnographies? <i>Thorax</i> 54: 968-971 | |
| | 144 | CHOI, ET AL., 2000. Which Derivative from Overnight Oximetry Best Predicts Symptomatic response to Nasal Continuous Positive Airway Pressure in Patients with Obstructive Sleep Apnea? <i>Respir Med</i> 94: 895-899 | |
| | 145 | CLARK, ET AL., 1994. Prognostic factors: rationale and methods of analysis and integration. <i>Breast Cancer Res Treat</i> 32: 105-12. | |
| | 146 | CROCKER, ET AL., 1990. Estimation of the probability of disturbed breathing during sleep before a sleep study. <i>Am Rev Respir Dis</i> 142: 14-18. | |
| | 147 | CUMMISKEY, ET AL., 1982. The Detection and Quantification of Sleep Apnea by Tracheal Sound Recordings. <i>Am Rev Respir Dis</i> 128: 221-224 | |
| | 148 | DAVIS, Alert and Energetic. <i>Sleep Studies</i> 12 | |
| | 149 | DOUGLAS, N.J., 2000. Upper airway resistance syndrome is not a distinct syndrome. <i>Am J Respir Crit Care Med</i> 161: 1413-1416 | |
| DBC | 150 | DOUGLAS, ET AL., 1992. Clinical value of polysomnography. <i>Lancet</i> 339: 347-350 | |

| | | | |
|--------------------|--------------------|-----------------|------------|
| Examiner Signature | Dilek B. Cobanoglu | Date Considered | 06/16/2006 |
|--------------------|--------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Under the paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | | |
|---|---|----|----|--------------------------|--------------------|---------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Complete if Known | | |
| | | | | Application Number | 09/881,181 | |
| | | | | Filing Date | June 14, 2001 | |
| | | | | First Named Inventor | Walter Wallach | |
| | | | | Art Unit | 3626 | |
| | | | | Examiner Name | Dilek B. Cobanoglu | |
| Sheet | 5 | Of | 10 | Attorney Docket Number | | 13463-701.201 |

| NON PATENT LITERATURE DOCUMENTS | | | |
|---------------------------------|-----------------------|---|----------------|
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ⁶ |
| DBC | 151 | DOYE, ET AL., 1994. Predicting outcomes after liver transplantation. <i>Ann Surg</i> 219: 408-15 | |
| | 152 | DYBOWSKI, ET AL., 1996. Prediction of outcome in critically ill patients using artificial neural network synthesized by genetic algorithm. <i>Lancet</i> 347: 1146-50 | |
| | 153 | DYKEN, ET AL., 1996. Investigating the relationship between stroke and obstructive sleep apnea. <i>Stroke</i> 27: 401-07. | |
| | 154 | EL-SOLH, ET AL., 2003. The utility of neural network in the diagnosis of Cheyne-Stokes respiration. <i>Journal of Medical Engineering and Technology</i> 27(2): 54-58 | |
| | 155 | EL-SOLH, ET AL., 1996. A comparison of severity of illness scoring systems for critically ill obstetric patients. <i>Chest</i> 110: 1299-1304 | |
| | 156 | EL-SOLH, ET AL., 1999. Validity of neural network in sleep apnea. <i>Sleep</i> 22: 105-111 | |
| | 157 | ENGLEMAN, ET AL., 1999. Randomized placebocontrolled crossover trial of continuous positive airway pressure for mild sleep/apnea hypopnea syndrome. <i>Am J Respir Crit Care Med</i> 159: 461-467 | |
| | 158 | FINDLEY, ET AL., 1985. Cheyne-Stokes breathing during sleep in patients with left ventricular heart failure. <i>South Med. J.</i> 78: 11-5 | |
| | 159 | FLEMONS, ET AL., 1994. Likelihood ratios for a sleep apnea clinical prediction rule. <i>Am J Respir Crit Care Med</i> 150: 1279-1285 | |
| | 160 | FRIEDMAN, JH., 1991. Multivariate adaptive regression splines (with discussion). <i>Annals of Statistics</i> 19: 1-141 | |
| DBC | 161 | GRANTON, ET AL., 1996. CPAP improves inspiratory muscle strength in patients with heart failure and central sleep apnea. <i>Am J Respir Crit Care Med</i> 153: 277-82 | |

| | | | |
|--------------------|--------------------|-----------------|------------|
| Examiner Signature | Dilek B. Cobanoglu | Date Considered | 06/16/2006 |
|--------------------|--------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Under the paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | |
|---|---|----|----|--------------------------|--------------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Complete if Known | |
| | | | | Application Number | 09/881,181 |
| | | | | Filing Date | June 14, 2001 |
| | | | | First Named Inventor | Walter Wallach |
| | | | | Art Unit | 3626 |
| | | | | Examiner Name | Dilek B. Cobanoglu |
| Sheet | 6 | Of | 10 | Attorney Docket Number | 13463-701.201 |

| NON PATENT LITERATURE DOCUMENTS | | | |
|---------------------------------|-----------------------|---|----------------|
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ⁶ |
| DBC | 162 | GUILLEMINAULT, ET AL., 1993. A cause of excessive daytime sleepiness: the upper airway resistance syndrome. <i>Chest</i> 104: 781-787 | |
| | 163 | GUILLEMINAULT, ET AL., 1992. EEG arousals: scoring rules and examples. <i>Sleep</i> 15: 173-84 | |
| | 164 | GUILLEMINAULT, ET AL., 2000. Upper airway resistance syndrome and its treatment. <i>Sleep</i> 23(suppl 4): S197-200 | |
| | 165 | GYULAY, ET AL., A Comparison of Clinical Assessment and home Oximetry in the Diagnosis of Obstructive Sleep Apnea. <i>Am Rev Respir Dis</i> 1993: 147:50-53 | |
| | 166 | HANLEY, ET AL., 1996. Increased mortality associated with Cheyne-Stokes respiration in patients with congestive heart failure. <i>Am J Respir Crit Care Med</i> 153: 272-76 | |
| | 167 | HANLEY, ET AL., 1982. The meaning and use of the area under the receiver operating characteristics (ROC) curve. <i>Radiology</i> 143: 29-36 | |
| | 168 | HART, ET AL., 1990. Evaluating black-boxes as medical decision aids: issues arising from a study of neural networks. <i>Med Inform</i> 15: 229-36 | |
| | 169 | HE, ET AL., 1988. Mortality and apnea index in obstructive sleep apnea. <i>Chest</i> 94: 9-14. | |
| | 170 | HIRAIWA, ET AL., 1990. EEG topography recognition by neural networks. <i>IEEE Engineering in Medicine and Biology magazine</i> 9: 39-42 | |
| | 171 | HOFFSTEIN, ET AL., 1993. Predictive value of clinical features in diagnosing obstructive sleep apnea. <i>Sleep</i> 16(2): 118-22 | |
| DBC | 172 | HURVICH, ET AL., 1989. Regression and time series model selection in small samples <i>Biometrika</i> 76: 297-307 | |

| | | | |
|--------------------|--------------------|-----------------|------------|
| Examiner Signature | Dilek B. Cobanoglu | Date Considered | 06/16/2006 |
|--------------------|--------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Under the paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | | |
|--|---|----|----|--------------------------|--------------------|---------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(Use as many sheets as necessary)</i> | | | | Complete if Known | | |
| | | | | Application Number | 09/881,181 | |
| | | | | Filing Date | June 14, 2001 | |
| | | | | First Named Inventor | Walter Wallach | |
| | | | | Art Unit | 3626 | |
| | | | | Examiner Name | Dilek B. Cobanoglu | |
| Sheet | 7 | Of | 10 | Attorney Docket Number | | 13463-701.201 |

| NON PATENT LITERATURE DOCUMENTS | | | |
|---------------------------------|-----------------------|---|----------------|
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ⁶ |
| DBE | 173 | ISSA, ET AL., 1993. Digital monitoring of sleep-disordered breathing using snoring sound and arterial oxygen saturation. <i>Am J Respir Dis</i> 148: 1023-29 | |
| | 174 | JAESCHKE, ET AL., 1994. Users' guides to the Medical Literature. III. How to Use an Article About a Diagnostic Test. What are the Results and Will they Help me in Caring for my Patients? The Evidence Bases Working Group. <i>Jama</i> 271: 703-707 | |
| | 175 | JAVAHERI, ET AL., 1998. Sleep apnea in 81 ambulatory male patients with stable heart failure: types and their prevalences, consequences, and presentations. <i>Circulation</i> 97: 2154-59 | |
| | 176 | JAVAHERI, ET AL., 1995. Occult Sleep-Disordered Breathing in Stable Congestive Heart Failure. <i>Ann Intern Med</i> 122: 487-92 | |
| | 177 | KHOO, ET AL., 1999. Spectral Indices of Cardiac Autonomic Function in Obstructive Sleep Apnea. <i>Sleep</i> 22: 443-451 | |
| | 178 | KUMP, ET AL., 1994. Assessment of the validity and utility of a sleep symptom questionnaire. <i>Am J Respir Crit Care Med</i> 150: 735-41 | |
| | 179 | LEVY, ET AL., 1996. Accuracy of oximetry for detection of respiratory disturbances in sleep apnea syndrome. <i>Chest</i> 109: 395-99 | |
| | 180 | LONG, ET AL., 1993. A comparison of logistic regression to decision tree induction in a medical domain. <i>Comp Biomed Res</i> 26: 74-97 | |
| | 181 | LOUBE, ET AL., 1999. Indications for Positive Airway Pressure Treatment of Adult Obstructive Sleep Apnea Patients: A Consensus Statement. <i>Chest</i> 115: 883-886 | |
| | 182 | MAISLIN, ET AL., 1995. A survey screen for prediction of apnea. <i>Sleep</i> 18: 158-66 | |
| DBE | 183 | MAISLIN, ET AL., 1994. The prevalence of frequent episodes of falling asleep while driving in patients seen at sleep disorders centers. <i>Sleep Res</i> 23: 133 | |

| | | | |
|--------------------|--------------------|-----------------|------------|
| Examiner Signature | Dilek B. Cobanoglu | Date Considered | 06/16/2006 |
|--------------------|--------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Under the paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | |
|---|---|----|----|--------------------------|--------------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Complete if Known | |
| | | | | Application Number | 09/881,181 |
| | | | | Filing Date | June 14, 2001 |
| | | | | First Named Inventor | Walter Wallach |
| | | | | Art Unit | 3626 |
| | | | | Examiner Name | Dilek B. Cobanoglu |
| Sheet | 8 | Of | 10 | Attorney Docket Number | 13463-701.201 |

| NON PATENT LITERATURE DOCUMENTS | | | |
|---------------------------------|-----------------------|---|----------------|
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ⁶ |
| DBC | 184 | MARGERAND, 1988. The Third Dimension: Symmetrically Loaded. <i>Speaker Builder</i> 29-36 and 64 | |
| | 185 | MicroDigitrapper-S™. Portable Apnea Screening <i>Synetics Medical Products</i> | |
| | 186 | NAUGHTON, ET AL., 1993. Role of Hyperventilation in the Pathogenesis of Central Sleep Apneas in Patients with Congestive Heart Failure. <i>Am. Rev Respir Dis</i> 148: 330-38 | |
| | 187 | NAUGHTON, ET AL., 1995. Effects of nasal CPAP on sympathetic activity in patients with heart failure and central sleep apnea. <i>Am. J. Respir Crit Care Med</i> 152: 473-79 | |
| | 188 | NELSON, ET AL., 1993. Active Control of Sound. Academic Press | |
| | 189 | NIETO, ET AL., 2000. Association of sleep-disordered breathing, sleep-apnea, and hypertension in a large community-based study. <i>Sleep Heart Health Study. JAMA</i> 283: 1829-1836 | |
| | 190 | OLSON, ET AL., 1999. Prediction of Sleep-disordered Breathing by Unattended Overnight Oximetry. <i>Journal of Sleep Research</i> 8: 51-55 | |
| | 191 | PAINTER, 1995. Sleep disorder found in 78% of long-haul truckers. <i>USA Today</i> | |
| | 192 | PARTINEN, ET AL., 1988. Long-term outcome for obstructive sleep apnea syndrome patients. <i>Chest</i> 94: 1200-4 | |
| | 193 | PEPPARD, ET AL., 2000. Prospective study of the association between sleep-disordered breathing and hypertension. <i>New Engl J Med</i> 342: 1378-1384 | |
| DBC | 194 | PRESS, ET AL., 1989. Numerical Recipes NY, Cambridge University Press Chapter 12, 381-453 | |

| | | | |
|--------------------|---------------------------|-----------------|------------|
| Examiner Signature | <i>Dilek B. Cobanoglu</i> | Date Considered | 06/16/2006 |
|--------------------|---------------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Under the paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | |
|---|---|----|----|--------------------------|--------------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Complete if Known | |
| | | | | Application Number | 09/881,181 |
| | | | | Filing Date | June 14, 2001 |
| | | | | First Named Inventor | Walter Wallach |
| | | | | Art Unit | 3626 |
| | | | | Examiner Name | Dilek B. Cobanoglu |
| Sheet | 9 | Of | 10 | Attorney Docket Number | 13463-701.201 |

| NON PATENT LITERATURE DOCUMENTS | | | |
|---------------------------------|-----------------------|---|----------------|
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ⁶ |
| DBC | 195 | RECHTSCHAFFEN, ET AL., 1968. <i>A Manual of Standardized Technology, Techniques and Scoring System for Sleep Stages of Human Subjects</i> . Los Angeles: UCLA Brain Information Service/Brain Research Institute | |
| | 196 | REDLINE, ET AL., 2000. Effects of varying approaches for identifying respiratory disturbances on sleep apnea assessment. <i>Am J Respir Crit Care Med</i> 161: 369-374 | |
| | 197 | REDLINE, ET AL., 1998. Improvement of mild sleep-disordered breathing with CPAP compared with conservative therapy. <i>Am J Respir Crit Care Med</i> 157: 858-865 | |
| | 198 | SERIES, ET AL., 1993. Utility of nocturnal home oximetry for case finding in patients with suspected sleep apnea hypopnea syndrome. <i>Ann Intern Med</i> 119: 449-53 | |
| | 199 | SHAHAR, ET AL., 2000. Sleep-disordered breathing and cardiovascular disease: cross-sectional results of the sleep heart health study. <i>Am J Respir Crit Care Med</i> 163: 19-25 | |
| | 200 | SHEPARD, ET AL., 1992. Hypertension, cardiac arrhythmias, myocardial infarction and stroke in relation to obstructive sleep apnea. <i>Clin Chest Med</i> 13: 437-58. | |
| | 201 | SIN, ET AL., 2000. Effect on continuous airway positive pressure on cardiovascular outcomes in heart failure patients with and without Cheyne-Stokes respiration. <i>Circulation</i> 102: 81-88 | |
| | 202 | TAHA, ET AL., 1997. Automated Detection and Classification of Sleep disordered Breathing from Conventional Polysomnography. <i>Sleep</i> 20: 991-1001 | |
| | 203 | TOURASSI, ET AL., 1993. Acute pulmonary embolism: Artificial neural network approach for diagnosis. <i>Radiology</i> 189: 555-58 | |
| | 204 | TSAI, ET AL., 1999. A comparison of apnea-hypopnea indices derived from different definitions of hypopnea. <i>Am J Respir Crit Care Med</i> 159: 43-48 | |
| DBC | 205 | VAIDYA, ET AL., 1996. Identifying obstructive sleep apnea in patients presenting for laser-assisted uvulopalatoplasty. <i>Laryngoscope</i> 106: 431-37 | |

| | | | |
|--------------------|---------------------------|-----------------|------------|
| Examiner Signature | <i>Dilek B. Cobanoglu</i> | Date Considered | 06/16/2006 |
|--------------------|---------------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Under the paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | |
|---|----|----|----|--------------------------|--------------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Complete if Known | |
| | | | | Application Number | 09/881,181 |
| | | | | Filing Date | June 14, 2001 |
| | | | | First Named Inventor | Walter Wallach |
| | | | | Art Unit | 3626 |
| | | | | Examiner Name | Dilek B. Cobanoglu |
| Sheet | 10 | Of | 10 | Attorney Docket Number | 13463-701.201 |

| NON PATENT LITERATURE DOCUMENTS | | | |
|---------------------------------|-----------------------|---|----------------|
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ⁶ |
| DBC | 206 | VAZQUEZ, ET AL., 2000. Automated Analysis of Digital Oximetry in the Diagnosis of Obstructive Sleep Apnea. <i>Thorax</i> 55: 302-307 | |
| | 207 | VINER, ET AL., 1991. Are history and physical examination a good screening test for sleep apnea? <i>Ann Intern Med</i> 115: 356-59 | |
| | 208 | WEISS, ET AL., 1991. How to estimate the true performance of a learning system. In: <i>Computer systems that learn</i> . Palo Alto, CA: Morgan Kaufmann 17-49 | |
| | 209 | WEISS, ET AL., 1991. Neural nets. In: <i>Computer systems that learn</i> . Palo Alto, CA: Morgan Kaufmann 81-112 | |
| | 210 | WU, ET AL., 1993. Artificial networks in mammography: application to decision making in the diagnosis of breast cancer. <i>Radiology</i> 187: 81-87 | |
| | 211 | YAMASHIRO, ET AL., 1995. Nocturnal oximetry: is it a screening tool for sleep disorders? <i>Sleep</i> 18: 167-171 | |
| DBC | 212 | YOUNG, ET AL., 1993. The occurrence of sleep-disordered breathing among middle-aged adults. <i>N Engl J Med</i> 328: 1230-1235 | |

| | | | |
|--------------------|--------------------|-----------------|------------|
| Examiner Signature | Dilek B. Cobanoglu | Date Considered | 06/16/2006 |
|--------------------|--------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.



PTO/SB/08 (07/05)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | |
|---|---|----|---|--------------------------|--------------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Complete if Known | |
| | | | | Application Number | 09/881,181 |
| | | | | Filing Date | June 14, 2001 |
| | | | | First Named Inventor | Walter Wallach |
| | | | | Art Unit | 3626 |
| | | | | Examiner Name | Dilek B. Cobanoglu |
| Sheet | 1 | Of | 5 | Attorney Docket Number | 13463-701.201 |

| U.S. PATENT DOCUMENTS | | | | | |
|-----------------------|-----------------------|---|--------------------------------|--|---|
| Examiner Initials* | Cite No. ¹ | Document Number Number-Kind Code ² (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
| DBC | 1. | US 2001/0037215 A1 | 11-01-2001 | Sparks | |
| | 2. | US- 2001/0039502 A1 | 11-08-2001 | Case, Robert | |
| | 3. | US- 2002/0002327 A1 | 01-03-2002 | Grant, et al. | |
| | 4. | US- 2002/0007285 A1 | 01-17-2002 | Rappaport, Alain T. | |
| | 5. | US- 2002/0007290 A1 | 01-17-2002 | Gottlieb, Joshua L. | |
| | 6. | US 2002/0013519 A1 | 01-31-2002 | Adams et al. | |
| | 7. | US- 2002/0013906 A1 | 01-31-2002 | Wallach, et al. | |
| | 8. | US 2002/0026331 A1 | 02-28-2002 | Case, Robert | |
| | 9. | US 2002/0077850 A1 | 06-20-2002 | McMenimen et al. | |
| | 10. | US 2003/0170901 A1 | 09-11-2003 | Kippenhan, et al | |
| | 11. | US 2005/0131283 A1 | 06-16-2005 | Grant, et al. | |
| | 12. | US- 4,129,125 | 12-12-1978 | Lester, et al. | |
| | 13. | US- 4,153,815 | 05-01-1979 | Chaplin, et al. | |
| | 14. | US 4,596,157 | 06-24-1986 | Laauwe | |
| | 15. | US- 4,654,871 | 03-01-1987 | Chaplin, et al. | |
| | 16. | US- 4,672,674 | 06-01-1987 | Clough, et al. | |
| | 17. | US- 4,802,485 | 02-07-1989 | Bowes, et al. | |
| | 18. | US- 4,862,144 | 08-29-1989 | Tao, Billy | |
| | 19. | US- 4,908,855 | 03-01-1990 | Ohga, et al. | |
| | 20. | US- 4,912,767 | 03-01-1990 | Chang | |
| | 21. | US- 4,956,867 | 09-11-1990 | Zurek, et al. | |
| | 22. | US- 5,046,491 | 09-10-1991 | Derrick | |
| | 23. | US- 5,121,426 | 06-01-1992 | Baumhauer, et al. | |
| | 24. | US- 5,130,414 | 09-01-1992 | Ng | |

| | | | |
|--------------------|---------------------------|-----------------|------------|
| Examiner Signature | <i>Dilek B. Cobanoglu</i> | Date Considered | 06/16/2006 |
|--------------------|---------------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST. 3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Under the paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | |
|--|---|----|---|--------------------------|--------------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(Use as many sheets as necessary)</i> | | | | Complete if Known | |
| | | | | Application Number | 09/881,181 |
| | | | | Filing Date | June 14, 2001 |
| | | | | First Named Inventor | Walter Wallach |
| | | | | Art Unit | 3626 |
| | | | | Examiner Name | Dilek B. Cobanoglu |
| Sheet | 2 | Of | 5 | Attorney Docket Number | 13463-701.201 |

| U.S. PATENT DOCUMENTS | | | | | |
|-----------------------|-----------------------|---|--------------------------------|--|---|
| Examiner Initials* | Cite No. ¹ | Document Number Number-Kind Code ² (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
| DRC | 25. | US- 5,131,047 | 07-01-1992 | Hashimoto, et al. | |
| | 26. | US- 5,148,471 | 09-01-1992 | Metroka, et al. | |
| | 27. | US- 5,201,006 | 04-01-1993 | Weinrich | |
| | 28. | US- 5,239,578 | 08-01-1993 | Regen, et al. | |
| | 29. | US- 5,251,263 | 10-01-1993 | Andrea, et al. | |
| | 30. | US 5,257,627 | 11-02-1993 | Rapoport | |
| | 31. | US- 5,319,736 | 06-01-1994 | Hunt | |
| | 32. | US- 5,323,458 | 06-01-1994 | Park, et al. | |
| | 33. | US- 5,335,276 | 08-01-1994 | Thompson, et al. | |
| | 34. | US- 5,343,521 | 08-01-1994 | Jullien, et al. | |
| | 35. | US- 5,381,473 | 01-01-1995 | Andrea, et al. | |
| | 36. | US- 5,385,144 | 01-31-1995 | Yamanishi, et al. | |
| | 37. | US- 5,386,689 | 02-01-1995 | Buzich, et al. | |
| | 38. | US- 5,404,885 | 04-11-1995 | Sheehan, et al. | |
| | 39. | US- 5,406,622 | 04-01-1995 | Silverberg, et al. | |
| | 40. | US- 5,444,786 | 08-01-1995 | Raviv, et al. | |
| | 41. | US- 5,452,361 | 09-01-1995 | Jones, et al. | |
| | 42. | US- 5,471,538 | 11-01-1995 | Sasaki, et al. | |
| | 43. | US- 5,473,702 | 12-01-1995 | Yoshida, et al. | |
| | 44. | US- 5,481,615 | 01-01-1996 | Eatwell, et al. | |
| | 45. | US- 5,493,616 | 02-01-1996 | Lidaka, et al. | |
| | 46. | US- 5,522,382 | 06-04-1996 | Sullivan, et al. | |
| | 47. | US- 5,526,421 | 06-01-1996 | Berger, et al. | |
| | 48. | US- 5,575,285 | 11-19-1996 | Takanashi et al. | |
| | 49. | US- 5,605,151 | 02-25-1997 | Lynn et al. | |

| | | | |
|--------------------|--------------------|-----------------|------------|
| Examiner Signature | Dilek B. Cobanoglu | Date Considered | 06/16/2006 |
|--------------------|--------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designated number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST. 3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Under the paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | |
|---|---|----|---|--------------------------|--------------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Complete if Known | |
| | | | | Application Number | 09/881,181 |
| | | | | Filing Date | June 14, 2001 |
| | | | | First Named Inventor | Walter Wallach |
| | | | | Art Unit | 3626 |
| | | | | Examiner Name | Dilek B. Cobanoglu |
| Sheet | 3 | Of | 5 | Attorney Docket Number | 13463-701.201 |

| U.S. PATENT DOCUMENTS | | | | | |
|-----------------------|-----------------------|---|--------------------------------|--|---|
| Examiner Initials* | Cite No. ¹ | Document Number Number-Kind Code ² (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
| DEC | 50. | US 5,619,991 | 04-15-1997 | Sloane | |
| | 51. | US 5,625,684 | 04-29-1997 | Matouk et al. | |
| | 52. | US- 5,671,733 | 09-30-1997 | Raviv, et al. | |
| | 53. | US 5,689,247 | 11-18-1997 | Welner | |
| | 54. | US- 5,704,345 | 01-06-1998 | Berthon-Jones | |
| | 55. | US- 5,722,999 | 03-03-1998 | Snell, et al. | |
| | 56. | US- 5,724,983 | 03-10-1998 | Selker, et al. | |
| | 57. | US 5,797,852 | 08-25-1998 | Karakasoglu et al. | |
| | 58. | US- 5,803,066 | 09-08-1998 | Rapoport, et al. | |
| | 59. | US- 5,839,438 | 11-24-1998 | Graettinger, et al. | |
| | 60. | US 5,844,996 | 12-01-1998 | Enzmann et al. | |
| | 61. | US- 5,853,005 | 12-29-1998 | Scanlaon | |
| | 62. | US 5,867,821 | 02-02-1999 | Ballantyne, et al. | |
| | 63. | US- 5,953,713 | 09-14-1999 | Behbehani, et al. | |
| | 64. | US 6,014,629 | 01-11-2000 | DeBruin-Ashton | |
| | 65. | US- 6,083,173 | 07-04-2000 | Grant et al. | |
| | 66. | US- 6,171,258 B1 | 01-09-2001 | Karakasoglu, et al. | |
| | 67. | US 6,213,955 B1 | 04-10-2001 | Karakasoglu et al. | |
| | 68. | US- 6,223,064 | 04-24-2001 | Lynn et al. | |
| | 69. | US- 6,290,654 B1 | 09-18-2001 | Karakasoglu, et al. | |
| | 70. | US 6,485,979 B1 | 11-26-2002 | Kippenhan et al. | |
| | 71. | US 6,558,320 B1 | 05-06-2003 | Causey, III et al. | |
| | 72. | US- 6,594,518 B1 | 07-15-2003 | Benaron et al. | |
| | 73. | US 6,839,581 | 01-04-2005 | El Sohl, et al. | |
| DEC | 74. | US- RE35,122 | 12-19-1995 | Corenman et al. | |

| | | | |
|--------------------|--------------------|-----------------|------------|
| Examiner Signature | Dilek B. Cobanoglu | Date Considered | 06/16/2006 |
|--------------------|--------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. *Applicant's unique citation designation number (optional). *See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. *Enter Office that issued the document, by the two-letter code (WIPO Standard ST. 3). *For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. *Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. *Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Under the paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | | |
|---|---|----|---|--------------------------|--------------------|---------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Complete if Known | | |
| | | | | Application Number | 09/881,181 | |
| | | | | Filing Date | June 14, 2001 | |
| | | | | First Named Inventor | Walter Wallach | |
| | | | | Art Unit | 3626 | |
| | | | | Examiner Name | Dilek B. Cobanoglu | |
| Sheet | 4 | Of | 5 | Attorney Docket Number | | 13463-701.201 |

| FOREIGN PATENT DOCUMENTS | | | | | | |
|--------------------------|-----------------------|---|-----------------------------|---|---|----------------|
| Examiner Initials* | Cite No. ¹ | Foreign Patent Document Country Code ¹ - Number ¹ - Kind Code ¹ (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | T ² |
| DSC | 75. | EP 168740 | 07-08-1985 | Panic | | |
| | 76. | German Publ 3004784 | 08-01-1991 | Deutsche Telephonw AG | | |
| | 77. | German Publ 3439329 | 10-26-1984 | Arend | | |
| | 78. | German Publ 3719074 | 06-06-1987 | Langenbach | | |
| | 79. | German Publ D4103912 | 02-08-1991 | Schoeller, P. | | |
| | 80. | Japan 1-042966 | 02-01-1989 | NEC Corp | | |
| | 81. | Japan 1202960 | 08-01-1989 | Seiko Instr and Electron Ltd | | |
| | 82. | Japan 2-250556 | 10-01-1990 | Sony Corp | | |
| | 83. | JP 20000-534930 | 09-06-2000 | The Research Foundation of State University of New York | | |
| | 84. | WO 1987/02577 | 05-01-1987 | PalsGard | | |
| | 85. | WO 1992/17019 | 10-01-1992 | Kirk Acoustics A S | | |
| | 86. | WO 2000/19895 | 04-13-2000 | Karakasoglu | | |
| | 87. | WO 2001/96984 A2 | 12-20-2001 | Sleep Solutions | | |
| | 88. | WO 2001/97050 A1 | 12-12-2001 | Adams, et al. | | |
| | 89. | WO 2005/030048 A1 | 07-04-2005 | The Research Foundation of State University of New York | | |

| | | | |
|--------------------|---------------------------|-----------------|------------|
| Examiner Signature | <i>Dilek B. Cobanoglu</i> | Date Considered | 06/16/2006 |
|--------------------|---------------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Under the paperwork Reduction Act of 1995, no persons required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | |
|---|---|----|---|--------------------------|--------------------|
| Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary) | | | | Complete if Known | |
| | | | | Application Number | 09/881,181 |
| | | | | Filing Date | June 14, 2001 |
| | | | | First Named Inventor | Walter Wallach |
| | | | | Art Unit | 3626 |
| | | | | Examiner Name | Dilek B. Cobanoglu |
| Sheet | 5 | Of | 5 | Attorney Docket Number | 13463-701.201 |

| NON PATENT LITERATURE DOCUMENTS | | | |
|---------------------------------|-----------------------|---|----------------|
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ⁶ |
| DBC | 90. | BLACKSHEAR, ET AL., Nocturnal Dyspnea and Atrial Fibrillation Predict Cheyne-Stokes Respirations in Patients with Congestive Heart Failure. <i>Arch Intern Med</i> 1995, 155(12):1297-1302 | |
| | 91. | DOUGLAS, S., Analysis of the Multiple-Error and Block Least-Mean-Square Adaptive Algorithms. <i>IEE TRANSACTIONS ON CIRCUITS AND SYSTEMS</i> | |
| | 92. | DOWDELL, ET AL., Cheyne-Stokes Respiration Presentation as Sleep Apnea Syndrome. Clinical and Polysomnographic Features. <i>Am Rev Respir Dis</i> 1990, 141:871-879 | |
| | 93. | HANLY, ET AL., pathogenesis of Cheyne-Stokes Respiration in Patients with Congestive Heart Failure. Relationship to Arterial PCO ₂ . <i>Chest</i> 1993, 104:1079-1084 | |
| | 94. | Sangil and Park, Full-duplex speakerphone with acoustic and electric echo-canceller utilizing the DSP56200 cascaded adaptive FIR filter chip. <i>Proc. Of Midcon/90 Technical Conference on Electronic and Electrical Technology</i> , Dallas, TX, Sep. 11-13, 1990 | |
| | 95. | STANFORTH, ET AL., Nocturnal Desaturation in Patients with Stable Heart Failure. <i>Heart</i> 1998, 79(4):394-399 | |
| DBC | 96. | WIDROW, ET AL., Adaptive Signal Processing. <i>Prentice-Hall</i> , New Jersey 1985 | |

| | | | |
|--------------------|---------------------------|-----------------|------------|
| Examiner Signature | <i>Dilek B. Cobanoglu</i> | Date Considered | 06/16/2006 |
|--------------------|---------------------------|-----------------|------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Best Available Copy